ELSEVIER

Theoretical Computer Science 200 (1998) 369–374

Theoretical
Computer Science

Master index volumes 191–200

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words)

Albers, S., A competitive analysis of the list update problem with lookahead 197 (1–2) (1998) 95–109
Alessi, F. and P. Baldan, A characterization of distance between 1-bounded compact ultrametric spaces through a universal space 193 (1–2) (1998) 113–127
Almeida, J.J., *see* J.C. Ramalho 199 (1–2) 231–247
Amadio, R.M., I. Castellani and D. Sangiorgi, On bisimulations for the asynchronous π-calculus 195 (2) (1998) 291–324
Anantharaman, S. and G. Richard, A rewrite mechanism for logic programs with negation 192 (1) (1998) 77–106
Angel, E. and V. Zissimopoulos, Autocorrelation coefficient for the graph bipartitioning problem (*Note*) 191 (1–2) (1998) 229–243
Aoyagi, S., *see* Y. Manabe 193 (1–2) (1998) 97–112
auf der Heide, F.M., K. Schröder and F. Schwarze, Routing on networks of optical crossbars 196 (1–2) (1998) 181–200
Baader, F. and K.U. Schulz, Combination of constraint solvers for free and quasi-free structures 192 (1) (1998) 107–161
Baldan, P., *see* F. Alessi 193 (1–2) (1998) 113–127
Baldoni, R., *see* Y. Manabe 193 (1–2) (1998) 97–112
Barthélemy, F., *see* E. Villemonte de la Clergerie 199 (1–2) (1998) (1998) 167–198
Barthelmann, K., Nondeterministic operations on finite relational structures (*Fundamental Study*) 200 (1–2) (1998) 1– 44
Barua, R., *see* P. Sarkar 197 (1–2) (1998) 111–138
Beigel, R., B. Gasarch, M. Li and L. Zhang, Addition in $\log_2 n + O(1)$ steps on average. A simple analysis (*Note*) 191 (1–2) (1998) 245–248
Blundo, C., L.A.F. Mattos and D.R. Stinson, Generalized Beimel–Chor schemes for broadcast encryption and interactive key distribution 200 (1–2) (1998) 313–334
Bonsangue, M.M., F. van Breugel and J.J.M.M. Rutten, Generalized metric spaces: Completion, topology, and powerdomains via the Yoneda embedding (*Fundamental Study*) 193 (1–2) (1998) 1–51
Boreale, M., On the expressiveness of internal mobility in name-passing calculi 195 (2) (1998) 205–226
Boreale, M. and D. Sangiorgi, Some congruence properties for π-calculus bisimilarities 198 (1–2) (1998) 159–176
Botorog, G.H. and H. Kuchen, Efficient high-level parallel programming 196 (1–2) (1998) 71–107
Bougé, L., P. Fraigniaud, A. Mignotte and Y. Robert, Editorial 196 (1–2) (1998) 1
Bradfield, J.C., The modal mu-calculus alternation hierarchy is strict 195 (2) (1998) 133–153
Breslauer, D., The suffix tree of a tree and minimizing sequential transducers 191 (1–2) (1998) 131–144
Bruyère, V., D. Derencourt and M. Latteux, The meet operation in the lattice of codes 191 (1–2) (1998) 117–129
Busi, N., R. Gorrieri and G. Zavattaro, A process algebraic view of Linda coordination primitives 192 (2) (1998) 167–199
Buszkowski, W., Algebraic structures in categorial grammar 199 (1–2) (1998) 5–24
Cadoli, M. and L. Palopoli, Circumscribing DATALOG: expressive power and complexity 193 (1–2) (1998) 215–244

Elsevier Science B.V.

Çağman, N. and J.R. Hindley, Combinatory weak reduction in lambda calculus (*Note*) 198 (1–2) (1998) 239–247
Castellani, I., *see* R.M. Amadio 195 (2) (1998) 291–324
Ceola, C. and P.B.A. Lecomte, Computability of a map and decidability of its graph in the model of Blum, Shub and Smale (*Note*) 194 (1–2) (1998) 219–223
Chebotarev, A.N. and M.K. Morokhovets, Resolution-based approach to compatibility analysis of interacting automata 194 (1–2) (1998) 183–205
Cho, C.-H. and J.-T. Wang, Triangular grid protocol: An efficient scheme for replica control with uniform access quorums 196 (1–2) (1998) 259–288
Cleaveland, R., G. Lüttgen and V. Natarajan, A process algebra with distributed priorities 195 (2) (1998) 227–258
Colombet L. and L. Desbat, Speedup and efficiency of large-size applications on heterogeneous networks 196 (1–2) (1998) 31–44
Corradini, F., On the coarsest congruence within global-clock-bounded equivalence (*Note*) 198 (1–2) (1998) 225–237
Dányi, G. and Z. Fülöp, Compositions with superlinear deterministic top-down tree transformations 194 (1–2) (1998) 57–85
Dami, L., A lambda-calculus for dynamic binding 192 (2) (1998) 201–231
de Bruin, A. and S.-H. Nienhuys-Cheng, Linear dynamic Kahn networks are deterministic 195 (1) (1998) 3–32
De Prisco, R., A. Monti and L. Pagli, Testing and reconfiguration of VLSI linear arrays 197 (1–2) (1998) 171–188
Delahaye, J.-P., *see* E. Rivals 200 (1–2) (1998) 261–287
Demri, S., A class of decidable information logics 195 (1) (1998) 33–60
Derencourt, D., *see* V. Bruyère 191 (1–2) (1998) 117–129
Desbat, L., *see* L. Colombet 196 (1–2) (1998) 31–44
Dougherty, D.J., *see* F. Otto 198 (1–2) (1998) 1–47
Downey, R.G., M.R. Fellows and K.W. Regan, Parameterized circuit complexity and the W hierarchy 191 (1–2) (1998) 97–115
Drakengren, T., A decidable canonical representation of the compact elements in Scott's reflexive domain in $P\omega$ 193 (1–2) (1998) 181–195
Ésik, Z. and A. Labella, Equational properties of iteration in algebraically complete categories 195 (1) (1998) 61–89
Edalat, A. and R. Heckmann, A computational model for metric spaces 193 (1–2) (1998) 53–73
Egly, U., An answer to an open problem of Urquhart (*Note*) 198 (1–2) (1998) 201–209
Eriksson, G., H. Eriksson and K. Eriksson, Moving a food trolley around a corner (*Note*) 191 (1–2) (1998) 193–203
Eriksson, H., *see* G. Eriksson 191 (1–2) (1998) 193–203
Eriksson, K., *see* G. Eriksson 191 (1–2) (1998) 193–203
Esbelin, H.-A. and M. More, Rudimentary relations and primitive recursion: A toolbox 193 (1–2) (1998) 129–148
Esparza, J., Reachability in live and safe free-choice Petri nets is NP-complete (*Note*) 198 (1–2) (1998) 211–224
Fellows, M.R., *see* R.G. Downey 191 (1–2) (1998) 97–115
Ferguson, T.S., Some chip transfer games (*Mathematical Games*) 191 (1–2) (1998) 157–171
Fernau, H. and D. Wätjen, Remarks on regulated limited ET0L systems and regulated context-free grammars 194 (1–2) (1998) 35–55
Flajolet, P. and B. Vallée, Continued fraction algorithms, functional operators, and structure constants (*Fundamental Study*) 194 (1–2) (1998) 1–34
Flynn, M.J., *see* S.F. Oberman 196 (1–2) (1998) 201–214
Fortnow, L., R. Freivalds, W.I. Gasarch, M. Kummer, S.A. Kurtz, C.H. Smith and F. Stephan, On the relative sizes of learnable sets 197 (1–2) (1998) 139–156
Fraigniaud, P., On XRAM and PRAM models, and on data-movement-intensive problems (*Note*) 194 (1–2) (1998) 225–237
Fraigniaud, P., *see* L. Bougé 196 (1–2) (1998) 1

Freivalds, R., *see* L. Fortnow 197 (1–2) (1998) 139–156
Frougny, C. and J. Sakarovitch, Synchronisation déterministe des automates à délai borné 191 (1–2) (1998) 61–77
Fülöp, Z., *see* G. Dányi 194 (1–2) (1998) 57–85
Fujii, R.H., *see* L.M. Schmitt 200 (1–2) (1998) 101–134
Gasarch, B., *see* R. Beigel 191 (1–2) (1998) 245–248
Gasarch, W.I., *see* L. Fortnow 197 (1–2) (1998) 139–156
Gasperoni, F. and U. Schwiegelshohn, List scheduling in the presence of branches. A theoretical evaluation 196 (1–2) (1998) 347–363
Geffert, V., A communication hierarchy of parallel computations 198 (1–2) (1998) 99–130
Ghelli, G. and B. Pierce, Bounded existentials and minimal typing 193 (1–2) (1998) 75–96
Gibbons, P.B., Y. Matias and V. Ramachandran, The queue-read queue-write asynchronous PRAM model 196 (1–2) (1998) 3–29
Goldblatt, R., Enlargements of functional algebras for the lambda calculus 198 (1–2) (1998) 177–200
Goldreich, O. and B. Meyer, Computational indistinguishability: algorithms vs. circuits (*Note*) 191 (1–2) (1998) 215–218
Gorrieri, R., *see* N. Busi 192 (2) (1998) 167–199
Gyenizse, P. and S. Vágvölgyi, Linear generalized semi-monadic rewrite systems effectively preserve recognizability 194 (1–2) (1998) 87–122
Hackstadt, S.T. and A.D. Malony, DAQV: Distributed Array Query and Visualization Framework 196 (1–2) (1998) 289–317
Hadjiat, M., Penelope's graph: a hard minimum cost tension instance 194 (1–2) (1998) 207–218
Hankin, C., D. Le Métayer and D. Sands, Refining multiset transformers 192 (2) (1998) 233–258
Harju, T. and L. Ilie, On quasi orders of words and the confluence property 200 (1–2) (1998) 205–224
Hartonas, C., A fixpoint approach to finite delay and fairness 198 (1–2) (1998) 131–158
Heckmann, R., *see* A. Edalat 193 (1–2) (1998) 53–73
Hennessy, M. and J. Rathke, Bisimulations for a calculus of broadcasting systems 200 (1–2) (1998) 225–260
Henriques, P., see J.C. Ramalho 199 (1–2) (1998) 231–247
Hindley, J.R., *see* N. Çağman 198 (1–2) (1998) 239–247
Hollingsworth, J.K. and B.P. Miller, Using cost to control instrumentation overhead 196 (1–2) (1998) 241–258
Ianni, M.D., Efficient delay routing 196 (1–2) (1998) 131–157
Illie, L., *see* T. Harju 200 (1–2) (1998) 205–224
Irani, S. and S. Seiden, Randomized algorithms for metrical task systems 194 (1–2) (1998) 163–182
Janssen, T.M.V., Algebraic translations, correctness and algebraic compiler construction 199 (1–2) (1998) 25–56
Jeavons, P., On the algebraic structure of combinatorial problems 200 (1–2) (1998) 185–204
Jones, J.S., *see* T. Rus 199 (1–2) (1998) 199–229
Kafura, D., *see* M. Mukherji 192 (2) (1998) 287–314
Kautz, S.M., An improved zero–one law for algorithmically random sequences (*Note*) 191 (1–2) (1998) 185–192
Knoop, J., Eliminating partially dead code in explicitly parallel programs 196 (1–2) (1998) 315–393
Kościelski, A. and L. Pacholski, Makanin's algorithm is not primitive recursive 191 (1–2) (1998) 145–156
Kshemkalyani, A.D., A framework for viewing atomic events in distributed computations 196 (1–2) (1998) 45–70
Kuchen, H., *see* G.H. Botorog 196 (1–2) (1998) 71–107
Kummer, M., *see* L. Fortnow 197 (1–2) (1998) 139–156
Kurtz, S.A., *see* L. Fortnow 197 (1–2) (1998) 139–156
Labella, A., *see* Z. Ésik 195 (1) (1998) 61–89
Larmore, L.L. and W. Rytter, Almost optimal sublinear time parallel recognition algorithms for three subclasses of context free languages 197 (1–2) (1998) 189–201
Latteux, M., *see* V. Bruyère 191 (1–2) (1998) 117–129
Le Gouëslier d'Argence, P., Affine scheduling on bounded convex polyhedric domains is asymptotically optimal 196 (1–2) (1998) 395–415

Le Métayer, D., *see* C. Hankin 192 (2) (1998) 233–258
Lê, N.-M., On determining optimal strategies in pursuit games in the plane (*Mathematical Games*) 197 (1–2) (1998) 203–234
Lecomte, P.B.A., *see* C. Ceola 194 (1–2) (1998) 219–223
Li, M., *see* R. Beigel 191 (1–2) (1998) 245–248
Lüttgen, G., *see* R. Cleaveland 195 (2) (1998) 227–258
MacKenzie, P.D. and V. Ramachandran, ERCW PRAMs and optical communication 196 (1–2) (1998) 153–180
Malony, A.D., *see* S.T. Hackstadt 196 (1–2) (1998) 289–317
Manabe, Y., R. Baldoni, M. Raynal and S. Aoyagi, k-Arbiter: A safe and general scheme for h-out of-k mutual exclusion 193 (1–2) (1998) 97–112
Marchiori, M., Bubbles in modularity 192 (1) (1998) 31–54
Mateescu, A., G. Rozenberg, A. Salomaa, Shuffle on trajectories: Syntactic constraints (*Fundamental Study*) 197 (1–2) (1998) 1–56
Matias, Y., *see* P.B. Gibbons 196 (1–2) (1998) 3–9
Mattos, L.A.F., *see* C. Blundo 200 (1–2) (1998) 313–334
Mayr, R. and T. Nipkow, Higher-order rewrite systems and their confluence 192 (1) (1998) 3–29
Meyer, B., *see* O. Goldreich 191 (1–2) (1998) 215–218
Middendorf, M., Shortest common superstrings and scheduling with coordinated starting times (*Note*) 191 (1–2) (1998) 205–214
Mignotte, A., *see* L. Bougé 196 (1–2) (1998) 1
Mihoubi, D., Characterization and closure properties of linear ω-languages 191 (1–2) (1998) 79–95
Miller, B.P., *see* J.K. Hollingsworth 196 (1–2) (1998) 241–258
Montanari, U. and V. Sassone, Preface 195 (2) (1998) 111
Monteiro, L. and A. Porto, Entailment-based actions for coordination 192 (2) (1998) 259–286
Monti, A., *see* R. De Prisco 197 (1–2) (1998) 171–188
More, M. *see* H.-A. Esbelin 193 (1–2) (1998) 129–148
Morokhovets, M.K., *see* A.N. Chebotarev 194 (1–2) (1998) 183–205
Mukherji, M. and D. Kafura, A process-calculus-based abstraction for coordinating multi-agent groups 192 (2) (1998) 287–314
Mundici, D. and N. Olivetti, Resolution and model building in the infinite-valued calculus of Łukasiewicz 200 (1–2) (1998) 335–366
Nadathur, G. and D.S. Wilson, A notation for lambda terms. A generalization of environments (*Fundamental Study*) 198 (1–2) (1998) 49–98
Nakano, K. and K. Wada, Integer summing algorithms on reconfigurable meshes 197 (1–2) (1998) 57–77
Narendran, P., *see* F. Otto 198 (1–2) (1998) 1–47
Natarajan, V., *see* R. Cleaveland 195 (2) (1998) 227–258
Naudin, P. and C. Quitté, Univariate polynomial factorization over finite fields (*Tutorial*) 191 (1–2) (1998) 1–36
Nehaniv, C.L., *see* L.M. Schmitt 200 (1–2) (1998) 101–134
Niedermeier, R. and P. Rossmanith, Unambiguous computations and locally definable acceptance types 194 (1–2) (1998) 137–161
Niemi, V. and A. Renvall, Secure multiparty computations without computers (*Note*) 191 (1–2) (1998) 173–183
Nienhuys-Cheng, S.-H., *see* A. de Bruin 195 (1) (1998) 3–32
Nijholt, A. and G. Scollo, Editorial 199 (1–2) (1998) 1
Nipkow, T., *see* R. Mayr 192 (1) (1998) 3–29
Nivat, M., Foreword 200 (1–2) (1998) xi
Oberman, S.F. and M.J. Flynn, Reducing the mean latency of floating-point addition 196 (1–2) (1998) 201–214
Olivetti, N., *see* D. Mundici 200 (1–2) (1998) 335–366
Otto, F., P. Narendran and D.J. Dougherty, Equational unification, word unification, and 2nd-order equational unification (*Fundamental Study*) 198 (1–2) (1998) 1–47
Pacholski, L., *see* A. Kościelski 191 (1–2) (1998) 145–156

Pagli, L., *see* R. De Prisco 197 (1–2) (1998) 171–188
Palopoli, L., *see* M. Cadoli 193 (1–2) (1998) 215–244
Peled, D., T. Wilke and P. Wolper, An algorithmic approach for checking closure properties of temporal logic specifications and ω-regular languages 195 (2) (1998) 183–203
Penczek, W., Foreword 195 (1) (1998) 1
Philippou, A. and D. Walker, On transformations of concurrent-object programs 195 (2) (1998) 259–289
Pierce, B., *see* G. Ghelli 193 (1–2) (1998) 75–96
Pitts, A.M. and J.R.X. Ross, Process calculus based upon evaluation to committed form 195 (2) (1998) 155–182
Podehl, A., T. Rauber and G. Rünger, A shared-memory implementation of the hierarchical radiosity method 196 (1–2) (1998) 215–240
Porto, A., *see* L. Monteiro 192 (2) (1998) 259–286
Quitté, C., *see* P. Naudin 191 (1–2) (1998) 1–36
Rabinovich, A., On translations of temporal logic of actions into monadic second-order logic 193 (1–2) (1998) 197–214
Ramachandran, V., *see* P.B. Gibbons 196 (1–2) (1998) 3–29
Ramachandran, V., *see* P.D. MacKenzie 196 (1–2) (1998) 153–180
Ramalho, J.C., J.J. Almeida and P. Henriques, Algebraic specification of documents 199 (1–2) (1998) 231–247
Rathke, J., *see* M. Hennessy 200 (1–2) (1998) 225–260
Rauber, T., *see* A. Podehl 196 (1–2) (1998) 215–240
Raynal, M., *see* Y. Manabe 193 (1–2) (1998) 97–112
Regan, K.W., *see* R.G. Downey 191 (1–2) (1998) 97–115
Renvall, A., *see* V. Niemi 191 (1–2) (1998) 173–183
Richard, G., *see* S. Anantharaman 192 (1) (1998) 77–106
Rivals, E. and J.-P. Delahaye, Optimal representation in average using Kolmogorov complexity 200 (1–2) (1998) 261–287
Robert, Y., *see* L. Bougé 196 (1–2) (1998) 1
Ross, K.A., D. Srivastava, P.J. Stuckey and S. Sudarshan, Foundations of aggregation constraints 193 (1–2) (1998) 149–179
Ross, J.R.X., *see* A.M. Pitts 195 (2) (1998) 155–182
Rossmanith, P., *see* R. Niedermeier 194 (1–2) (1998) 137–161
Rozenberg, G., *see* A. Mateescu 197 (1–2) (1998) 1–56
Rünger, G., *see* A. Podehl 196 (1–2) (1998) 215–240
Rus, T., Algebraic processing of programming languages 199 (1–2) (1998) 105–143
Rus, T. and J.S. Jones, PHRASE parsers from multi-axiom grammars 199 (1–2) (1998) 199–229
Rutten, J.J.M.M., *see* M.M. Bonsangue 193 (1–2) 1–51
Rytter, W., *see* L.L. Larmore 197 (1–2) (1998) 189–201
Sakarovitch, J., *see* C. Frougny 191 (1–2) (1998) 61–77
Salomaa, A., *see* A. Mateescu 197 (1–2) (1998) 1–56
Sands, D., *see* C. Hankin 192 (2) (1998) 233–258
Sangiorgi, D., *see* R.M. Amadio 195 (2) (1998) 291–324
Sangiorgi, D., *see* M. Boreale 198 (1–2) (1998) 159–176
Sarkar, P. and R. Barua, Multidimensional σ-automata, π-polynomials and generalised S-matrices 197 (1–2) (1998) 111–138
Sassone, V., *see* U. Montanari 195 (2) (1998) 111
Schmitt, V., Stable trace automata vs. full trace automata (*Fundamental Study*) 200 (1–2) (1998) 45–100
Schmitt, L.M., C.L. Nehaniv and R.H. Fujii, Linear analysis of genetic algorithms (*Fundamental Study*) 200 (1–2) (1998) 101–134
Schröder, K., *see* F.M. auf der Heide 196 (1–2) (1998) 181–200
Schulz, K.U., *see* F. Baader 192 (1) (1998) 107–161
Schwarze, F., *see* F.M. auf der Heide 196 (1–2) (1998) 181–200
Schwiegelshohn, U., *see* F. Gasperoni 196 (1–2) (1998) 347–363
Scollo, G., *see* A. Nijholt 199 (1–2) (1998) 1
Séébold, P., On the conjugation of standard morphisms 195 (1) (1998) 91–109

Sénizergues, G., A polynomial algorithm testing partial confluence of basic semi-Thue systems 192 (1) (1998) 55–75
Seiden, S., *see* S. Irani 194 (1–2) (1998) 163–182
Selivanov, V., Fine hierarchy of regular ω-languages 191 (1–2) (1998) 37–59
Shrivastava, S.K., *see* J.A. Smith 196 (1–2) (1998) 319–345
Sikkel, K., Parsing schemata and correctness of parsing algorithms 199 (1–2) (1998) 87–103
Smith, C.H., *see* L. Fortnow 197 (1–2) (1998) 139–156
Smith, J.A. and S.K. Shrivastava, Performance of fault-tolerant data and compute intensive programs over a network of workstations 196 (1–2) (1998) 319–345
Srivastava, D., *see* K.A. Ross 193 (1–2) (1998) 149–179
Stephan, F., *see* L. Fortnow 197 (1–2) (1998) 139–156
Stinson, D.R., *see* C. Blundo 200 (1–2) (1998) 313–334
Stirling, C., Decidability of bisimulation equivalence for normed pushdown processes 195 (2) (1998) 113–131
Stuckey, P.J., *see* K.A. Ross 193 (1–2) (1998) 149–179
Sudarshan, S., *see* K.A. Ross 193 (1–2) (1998) 149–179
Tendeau, F., Computing abstract decorations of parse forests using dynamic programming and algebraic power series 199 (1–2) (1998) 145–166
Tiskin, A., The bulk-synchronous parallel random access machine 196 (1–2) (1998) 109–130
Tomescu, I., On words containing all short subwords (*Note*) 197 (1–2) (1998) 235–240
Vágvölgyi, S., *see* P. Gyenizse 194 (1–2) (1998) 87–122
Vallée, B., *see* P. Flajolet 194 (1–2) (1998) 1–34
van Breugel, F., *see* M.M. Bonsangue 193 (1–2) (1998) 1–51
van de Pol, J., Operational semantics of rewriting with priorities 200 (1–2) (1998) 289–312
Villemonte de la Clergerie, E. and F. Barthélemy, Information flow in tabular interpretations for generalized push-down automata 199 (1–2) (1998) 167–198
Visser, E., Polymorphic syntax definition 199 (1–2) (1998) 57–86
Wätjen, D., *see* H. Fernau 194 (1–2) (1998) 35–55
Wada, K., *see* K. Nakano 197 (1–2) (1998) 57–77
Walker, D., *see* A. Philippou 195 (2) (1998) 259–289
Wan, P.-J., TWDM multichannel lightwave hypercube networks 194 (1–2) (1998) 123–136
Wang, J., Finite derivation type for semi-direct products of monoids (*Note*) 191 (1–2) (1998) 219–228
Wang, J.-T., *see* C.-H. Cho 196 (1–2) (1998) 259–288
Wegner, P., Interactive foundations of computing 192 (2) (1998) 315–351
Wilke, T., *see* D. Peled 195 (2) (1998) 183–203
Wilson, D.S., *see* G. Nadathur 198 (1–2) (1998) 49–98
Wolper, P., *see* D. Peled 195 (2) (1998) 183–203
Xue, G., An O(n) time hierarchical tree algorithm for computing force field in n-body simulations 197 (1–2) (1998) 157–169
Zavattaro, G., *see* N. Busi 192 (2) (1998) 167–199
Zhang, L., *see* R. Beigel 191 (1–2) (1998) 245–248
Zhong, N., Recursively enumerable subsets of R^q in two computing models. Blum–Shub–Smale machine and Turing machine 197 (1–2) (1998) 79–94
Zielonka, W., Infinite games on finitely coloured graphs with applications to automata on infinite trees (*Fundamental Study*) 200 (1–2) (1998) 135–183
Zissimopoulos, V., *see* E. Angel 191 (1–2) (1998) 229–243